| | KE KIT | | |
|--------------|---|------------------|----------------|
| | Musical Door Bell | | |
| | | KIT Price | Assembled Kits |
| <u>S.No.</u> | DESCRIPTION | | Price |
| KE029 | Bird Bell [Mains 230 V] | 140 | 450 |
| | This circuits produce the bird chirping sound on mains | | |
| | trigger [230] | | |
| KE03 | Door Bell [UM 66] | 140 | 450 |
| | Timers | | |
| KE013 | 555 Timer [9 to 12 v] | 125 | 300 |
| | This is Capable of Drive Relay with time delay's | 120 | |
| | from 1 sec to 100 sec. | | |
| KE091 | 555 Timer with On/Off Indicator [12V] | 190 | 500 |
| KE41 | Timer With Audio Alarm [9V] [CD4060] | 130 | 450 |
| | This circuit gives a audible warning from 1min to120min | | |
| | Audio Effects | | |
| KE035 | Dancing Light/Sound Level Indicator [5-12 v] | 125 | 450 |
| | This simple circuit appeal for stereo system or Casstte | | |
| | player on Sound level indicator | | |
| | Amplifier | | |
| KE15 | TBA 810 7Watts with Volume Control with P/S | 310 | 500 |
| | Light Effects | | |
| KE037 | Light Sensitive Trigger [12 v - 16 v] | 125 | 450 |
| | This simple light operated switch can have vareity app. | | 100 |
| KE10 | 6 LED Dancing Light [9v] | 65 | 200 |
| KE062 | Traffic Light Control | 220 | 500 |
| | This project teaches the traffic using 3 relays for each light | | |
| | | <u>KIT Price</u> | Assembled Kits |
| <u>S.No.</u> | Description | <u>KIT FILCE</u> | Price |
| KE078 | White LED Torch [9 v] | 85 | 300 |
| | This simple cricuit in it self is a useful in application where | | |
| | power saving is of prime importance. | | |
| KE079 | Blue LED Torch | 85 | 300 |
| | Same as kit no.539. | | |
| KE080 | Green LED Torch | 85 | 300 |
| | Same as kit no.539. | | |
| | <u>Games</u> | | |
| KE06 | Griposcope [3 - 9 v] | 260 | 500 |
| | Can also be used as a lie Detector. | | |
| KE071 | Quiz Monitor For One Player [Games] | 850 | 1,350.00 |
| | In many quiz games it is important to be able to | | |
| | determine who is the first to reply to a questionTo avoid | | |
| | disputes and family argument the simplest approach is to | | |
| | use an impartial electonic ' Quiz Master ' | | |
| | Domestic | | |
| KE027 | Liquid Level Sensor [12 v] | 125 | 450 |

| | liquid level controller wired around a single chip & sense the level and alert you | | |
|--------------|--|------------------|----------------|
| KE02 | Clap Switch [12 v] | 250 | 500 |
| | Simple electronic switch activated by a clap can | | |
| | control [ON & OFF] Fan,Light,Radio & Tape. | | |
| KE063 | Bathful Indicator [5 v] | 85 | 300 |
| | This low cost solution for use non wastage of water which | | |
| | alert you by active buzzer when water level is reach. | | |
| KE066 | Water Level Controller | 250 | 500 |
| | Improved water level controller has been provided | | |
| | with two flip flops for the two tanks and each tank has | | |
| | three probes to monitor its status. | | |
| KE12 | Electronic Eye | 110 | 300 |
| | This produce the sound while light Fails & stops | | |
| | while light comes back. | | |
| KE070 | 4 LED Water Level Indicator With Alarm [6 v] | 200 | 500 |
| | This low cost circuit is very useful for automatic controlling | | |
| | of water level while filling the container. | | |
| KE084 | Heat Sensor With Fan Cooling [12 v] | 200 | 500 |
| | This low cost circuit is very useful for automatic | | |
| | cooling control in any application. | | |
| KE87 | Metal Detector [9 v] | 200 | 500 |
| | This metal detector can be used to detect slightly big | | |
| | size metallic objects. | | |
| KE089 | Heart Beat Monitor [9 v] | 200 | 500 |
| 112003 | This low cost project can be used to hear sound of heartbeats. | | |
| KE090 | Knock / Earth Quake Alarm [9 v] | 200 | 500 |
| | This inexpensive project can be used as Knock / Vibration | 200 | |
| | activated burglar alarm.Piezo Electric Sensor plate can | | |
| | be fixed on table, door, cupboard, window etc | | |
| | | | |
| | Communication | | |
| | | | Assembled Kits |
| <u>S.No.</u> | Description | <u>KIT Price</u> | Price |
| KE 01 | F M Receiver | 450 | nil |
| | Why should there be a need to construct your own FM | | |
| | Receiver? Surely it is far cheaper to buy one at local supermarket? | | |
| | This may well indeed be true, but it is far more fun to actually | | |
| | build one yourself.After all, many of our readers belong to the | | |
| | younger generation and there is nothing quite like building | | |
| | your first radio and getting it to work.As many of our more | | |
| | experienced readers will testify. | | |
| KE05 | SPY EAR | 380 | 550 |
| | What binoculars do to improve our vision, this personal | | 000 |
| | sound enhancer circuit does for listening.This lightweight | | |
| | gadget produces an adjustable gain on sound picked | | |
| | up from the built-in high-sensitivity condenser microphone. | | |
| 1/5077 | | 190 | 450 |
| KE077 | Power Full Listening Bug [9 v] This circuit can be used as intercom when two unit are | 130 | 450 |
| | | | |
| | used in combined. Now it is very easy to transfer your | | |
| | voice meassage to anyone who is at a distance from you using circuit. | 200 | 000 |
| KE77/A | Two Way Intercom [KE77 - 2 KIT] | 380 | 900 |
| | This circuit can be used as intercom when two unit are | | |
| | used in combined. Now it is very easy to transfer your | | |

| KE11 | FM Transmitter 300 meter [9 v] | 200 | 400 |
|--------------|---|-----------|----------------|
| - | Using this single transistor based F.M. transmitter | | |
| | voice can be transmitted up to 300 meter in 88 - 108 MHz | | |
| | F.M. radio band. | | |
| KE07 | FM Transmitter 5k.meter [9 v] | 310 | 500 |
| | You can hear your voice in FM receiver kept at | | |
| | distance tuned in FM Frequency. | | |
| | | | |
| | <u>Alarms</u> | | |
| KE04 | Fire Alarm | 150 | 450 |
| | Here is a simple fire alarm circuit build around 555 timer IC a | | |
| | reverse biased germanium diode DR25 is used as a heat sensor. | | |
| KE067 | Musical Siren Alarm [9V] | 150 | 450 |
| | This is the musical siren without using IC operated by | | |
| | 2 transistor. | | |
| KE028 | Infrared INT Alarm | 400 | 600 |
| | This Infrared burglar alarm can be used to protect door, | | |
| | gate,corridor etc.Range of this alarm is 4 to 5 feets | | |
| KE103 | 2 Digit Door Bell Counter [6 v] | 250 | 450 |
| | This circuit can be used to count total no of visitors | | |
| | came while you are out of your home. | | |
| | | | |
| | <u>Security System</u> | | |
| KE044 | Stop Thief [Burglar Alarm For Car [12V] | 150 | 450 |
| | This is simple circuit designed for car which protect | | |
| | your car from thief's with engine trouble. | | |
| KE100 | Touch Sensitive Siren [Security System] | 150 | 450 |
| | The circuit described here is very simple and useful for | | |
| | security purposes.It can be used for doors, windows, | | |
| | shuttrers or safe deposit lockers. It provides an audio | | |
| | alarm as soon as the touch plates are touched. | | |
| C No | Description | KIT Price | Assembled Kits |
| <u>S.No.</u> | Description | 400 | Price |
| KE102 | I.R. Remote Control On/Off Switch[12V] | 400 | 600 |
| | Using any T.V. Remote Control can operate this | | |
| KE105 | remote control receiving unit. | 450 | ~~~~ |
| NE 105 | Mobile Bug | 450 | 650 |
| | This handy, pocket-size mobile transmission detector can sense the presence of an activated mobile phone | | |
| | from a distance of one-and-a-half metres. So it can be | | |
| | used to prevent use of mobile phones in examination | | |
| | halls, confidential rooms, etc. | | |
| KE106 | Anti Burglar Alarm | 310 | 500 |
| | The Anti-Burglar Alarm is based on a light-dependent | 510 | |
| | resistor [LDR] . With little modification, this alarm can | | |
| | be used as counters, lunch timers, doorlairms, housealarm, | | |
| | vehiclealarm, mobilephoneprotectionalarm, morningalarm etc. | | |
| KE106A | Rain Alarm | 85 | 300 |
| | When Rain is strat you will be in side home or office | | |
| | than you no about rain. This rain alarm gives to | | |
| | warning a rain is start . | | |
| | | | |
| KE107 | Tap Alarm | 85 | 300 |

| 1/= 100 | than you no about water is coming in tap. | | |
|----------------|---|-----------|------------------------|
| KE108 | Touch Alarm | 85 | 300 |
| | Touch alarm is best of security systems. Touch alarm | | |
| | can be fitted on your door handle. | | |
| KE110 | Speed Checker For High Way | 1,100.00 | 1,800.00 |
| | This speed checker willcome handy for the highway traffic-police | | |
| | as it will not only provide a digital display in accordance | | |
| | with a vehicle's speed but also sound an alarm if the vehicle | | |
| | exceeds the permissible speed for the highway. | | |
| KE111 | Automatic School Bell | 450 | 700 |
| | Consider that a school has a total of eight periods with | | |
| | a lunch break after the fourth period. Each period is 45 | | |
| | minutes long, while the duration of the lunch break is 30 minutes. | | |
| KE112 | Street Light | 250 | 500 |
| | The circuit activates a relay upon detecting the absence | | |
| | of light on an LDR [light dependent resistor]. It is parrticularly | | |
| | well suited to control outside lighting. | | |
| KE113 | 4 Tone Siron | 400 | 600 |
| | The UM 3561 contains a programmed mask ROM to | | |
| | electronically reproduce alarm sound.It is give a 4 different | | |
| | sound.(1) Polics siren, (2) Fire engine siren,(3) Ambulance | | |
| | siren (4) Machine gun. | | |
| KE114 | 2 Digit Object Counter | 610 | 850 |
| | The circuit can count upto almost one hundred persons (99), | | |
| | entering or leaving a place or can be used to count the | | |
| | number of articles passing on a conveyor belt [in factory] etc. | | |
| KE115 | 4 Digit Object Counter | 990 | 1,600.00 |
| | The circuit can count upto almost ten thousand persons (9999) | | |
| | entering or leaving a place or can be used to count the | | |
| | number of articles passing on a conveyor belt [in factory] etc. | | |
| KE116 | 555 Timer with Indicator | 250 | 500 |
| | This Timer canbe used to switch off any electrical or | | |
| | electronic load after a preset time dalay. | | |
| | | | A a a such la d Kit |
| <u>S.No.</u> | Description | KIT Price | Assembled Kit Price |
| KE117 | 555 Flasher | 150 | 400 |
| | Roadworks are usually marked during the hours of darkness | 100 | |
| | by Red flashing lights. | | |
| KE118 | Quize Master 8 Player | 1.400.00 | 2,100.00 |
| | Manual buzzers used for quiz competition in school and | 1,400.00 | 2,100.00 |
| | colleges create a lot of confusion in identifying the first respondent. | | |
| KE119 | Digital Security System | 460 | 650 |
| ALT19 | | 400 | 050 |
| | You can use this simple and reliable security system as a | | |
| KE120 | watch-dog by installing the sensing loop around your building. | 400 | 600 |
| NE120 | Home Applances Controlled By I.R. Remote | 400 | 600 |
| | Using any T.V. Remote Control can operate this remote control receiving unit. | | |
| | remote control receiving linit | | |
| /E404 | | 400 | |
| KE121 | Infared Toy Car Controller | 400 | 600 |
| KE121 | Infared Toy Car Controller Using any T.V. Remote Control can operate this | 400 | 600 |
| | Infared Toy Car Controller Using any T.V. Remote Control can operate this remote control receiving unit. | | |
| KE121 KE122 | Infared Toy Car Controller Using any T.V. Remote Control can operate this remote control receiving unit. Remote Operate Musical Bell | 400 | 600 |
| | Infared Toy Car Controller Using any T.V. Remote Control can operate this remote control receiving unit. | | |

| | Here's an electronic watchdog for your house that sound | | |
|--------------|--|-----------|-------------------------|
| | to inform you that somebody is at the gate. | | |
| KE124 | Smoke Alarm | 450 | 650 |
| KE095 | Zener Diode Tester | 450 | 650 |
| KE125 | Home Applances Controlled By I.R. Remote | 550 | 750 |
| | Long Range Using any T.V. Remote Control | | |
| | can operate this remote control receiving unit. | | |
| KE126 | Infared Toy Car Controller Long Range | 550 | 750 |
| | Using any T.V. Remote Control can operate this | | |
| | remote control receiving unit. | | |
| KE127 | Remote Operate Musical Bell Long Range | 550 | 750 |
| | Using any T.V. Remote Control can operate this | | |
| | remote control receiving unit. | | |
| | Power Supplies | | |
| KE201 | General Purpose Power Supply [4Diode] | 50 | 100 |
| KE202 | 78/79 General Purpose Power Supply | 140 | 300 |
| | Versatile Power supply using 78/79 series IC's | | |
| KE203 | Lead Acid Battery Charger | 310 | 500 |
| | The simple charger for lead acid battery having different | | |
| | amp/hr capacity ou can use it as common supply unit. | | |
| KE204 | Adjustable Regulated Power Supply [LM317] | 460 | 750 |
| | Variable power supply from 1.25 v to 28 v at 1 Amp. | | |
| KE205 | 3 Amp. Regulated Power Supply | 460 | 750 |
| | Regulated Power Supply as per your reqauirment 78xx | | |
| | in To3 package currentup to 3Amp. | | |
| KE206 | 78xx Regulated Power Supply | 140 | 300 |
| | 1 Amp.Regulated Power supply as per your requirement | | |
| KE207 | .+ 5V / +12V Dual Power Supply | 460 | 750 |
| | 1 Amp.Dual Regulated Power supply. | | |
| KE208 | .+ / _ Dual Power Supply | 550 | 850 |
| | 1 Amp.Dual Regulated Power supply. | | |
| | All Power Supply Kit are without Transformer & Hardware | | |
| <u>S.No.</u> | Description | KIT Price | Assembled Kits Price |
| KE130 | PWM Technique using LM555 | 250 | 500 |
| KE131 | Power Failure Alarm | 250 | 500 |
| KE135 | I.R.Proxmatic | 120 | 120 |
| KE525 | Real Time Clock using Microcontroller | 2,500.00 | 2,500.00 |
| KE136 | Inverter 12v DC to 230AC [without 12v battery] | 450 | 700 |